

Hans Reinke

Kunstleder
Artificial Leather




KINGDOM

Contessa

5.0

Contessa



Contract



Healthcare




Marine




Automotive




K8092



K8047




K8048




K8049




K8050




K8090



K8091




K8053




K8054



K8055



K8056



K8057



K8058



K8093



K8060



K8061



K8062



K8063




K8064




K8065




K8066



K8094




K8068




K8069




K8070




K8071




K8072



K8073



K8074




K8075



K8076



K8077




K8078



K8079




K8080



K8081




K8082



K8083




K8084




K8095



K8086



K8087



K8088




K8089



K8096



K8097



K8092

Characteristics


Composition	Vinyl
Backing	100% Polyester
Weight	+/- 785 gr/m ²
Width	140 cm
Thickness	1,15 mm (+-0.1)
Roll size	30 m
Martindale	300 000 cycles
Cold Crack	-30°C
UV Resistance	ISO 105 B04 4/5 (Grey Scale) ISO 105 B02 7 (Blue Wool Scale)
Other	Mildew resistant backing and face Sulfide Stain Resistant Anti-static Finish 99% reduction of bacteria on the surface of the coated fabric ISO 22196 Chlorine water resistant Seawater resistant

Flame retardancy
DE: DIN 4102 B2
ECE Regulation No.118:03 (R118.02 Annexes 6, 7 Et 8)
EU: EN 1021 Part 1 Et 2
BS5852 Source 0 Et1 (Cigarette Et Match)
EU: EN 71-2:2006+A1:2007 - Safety of Toys - Part 2: Flammability
FR: NF P 92-503/M2
IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 Et 3.2
IT: UNI9175(1987) / UNI 9175/FA1 (1994) Classe 1.IM(UNO IEMME)
UK: UKCA
US: CAL TB 117-2013, Section E
US: ASTM E 84 Adhered - Class I
US: FAR 25/853
US: FMVSS 302
US: NFPA 260 - Class 1
UIC-564-2 Class A
UIC-564-2 Class B

- Oil resistant
- Antifungal protection
- Blood and urine resistant
- Fire retardancy
- Antibacterial protection
- Mildew resistant
- Resistant to sweat
- Tear resistant
- Disinfectant resistant
- Lightfast
- Easy to clean
- Long lasting
- Abrasion resistant
- Safe for toys

Sustainability

- Vegan
- Fire Retardant Additives Free
- Phthalate Free
- No Ozone Depleting Chemicals
- Solvent free
- EN 71-3 Safety of Toys (Migration of certain elements)



Certifications and compliances



Care and Cleaning

It is necessary to regularly clean the material surface. Please do not use chemical bleach or abrasive cleaning agents.





Hans Reinke
Handelsgesellschaft mbH

Brandstücken 20 Tel. +49 40 39 10 68-0
22549 Hamburg Fax +49 40 39 10 68-29
info@hans-reinke.com www.hans-reinke.com

NETHERLANDS, BELGIUM & LUXEMBOURG



Hans Reinke Benelux B.V.

Bukkumweg 2A Tel. +31 13 505 6702
5081 CT Hilvarenbeek Fax +31 13 505 3073
Netherlands info@hans-reinke.nl

SWITZERLAND, AUSTRIA & FRANCE



Jörg & Reinke GmbH

Bahnhofstrasse 42 Tel. +41 34 402 5005
6162 Entlebuch Fax +41 34 402 5553
Switzerland info@joerg-leder.ch

POLAND



Automotive Textiles

Jakub Ponczyński Tel. +48 42 288 10 10
93-490 Łódź Mob. +48 513 014 610
Pabianicka 119/131 jakub@ponczynski.com